



ZMM conventional lathes

European quality and STYLE service

European Machinebuilders

ZMM conventional lathes

European quality and STYLE service



Custom production for client specific wishes and machine options




Each component manufactured in own production facilities



Cast iron frames from own foundry




Assembly in Sliven, Bulgaria




ZMM CU 325



ZMM CU 580 MRD



ZMM CU 630/730



ZMM CU 1410RD



ZMM C10T12

ZMM and STYLE

- ZMM is one of the biggest machine manufacturers in the world. Central based in Bulgaria, Europe
- More than 70 + 25 years of combined experience
- 100% European product
- Short delivery times by own production and direct delivery from stock
- Showroom in Bunschoten
- Excellent service from STYLE
- STYLE and ZMM are a premium cooperation
- Quality machines as you are used to from STYLE
- Very affordable
- Available with special STYLE sheet metal

Conventional lathes

- Stable cast iron frame
- Visual clear overview
- Big range from 500 mm to 10000 mm
- Turning diameter from 325 mm to 1410 mm
- Spindle bore of 32 mm to 385 mm
- Conventional gearbox with a variety of setting
- Also available with a simple gearbox and variable RPM
- Build for reliability en endurance
- Fully assembled delivery ready to use
- Standard equipped with many machine options
- Works under any circumstances
- A diversity of accessories and options available

European Machinebuilders

ZMM conventional lathes

Technical specifications



Conventional lathe

	Diameter over bed	Diameter over support	Diameter in sack	Spindle bore	Bedwidth	Maximum RPM	Number of gears	Diameter pinole	Distance between centers
CU325	325	190	440	32	200	2000	12	40	500 / 750 / 1000
C400TM	400	235	550	52	320	2240	12	50	750 / 1000 / 1500
CU400	440	230	620	62	360	2000	21	70	1000 / 1500 / 2000
CU400M	440	240	640	72	400	2000	21	90	1000 / 1500 / 2000-5000
CU500	500	300	670	62	360	2000	21	70	1000 / 1500 / 2000
CU500M	500	300	700	72	400	2000	21	90	1000 / 1500 / 2000-5000
CU500MT	500	300	700	103	400	1400	15	90	1000 / 1500 / 2000-5000
CU580M	580	380	780	72	400	2000	21	90	1000 / 1500 / 2000-5000
C11MT	600	400	800	80	400	2000	16	90	1000 / 1500 / 2000-5000
CU630	630	430	830	103	400	1250	21	90	1000 / 1500 / 2000-5000
C10T	660	420	850	103	560	1320	15	105	1500 / 2000-5000
CU730	730	500	930	103	400	1250	21	90	1000 / 1500 / 2000-5000
C10TM	760	520	950	132	560	1015	17	105	1500 / 2000-5000
C10T.10	800	560	990	260	560	480	12	105	1500 / 2000-6000
C10T.12	800	560	990	315	560	400	12	105	1500 / 2000-6000
C10TH	860	620	1050	132	560	1015	17	105	1500 / 2000-5000
CU800	890	490	1050	155	700	1250	24	125	1500 / 2000-6000
C10T.14	1020	780	1210	358	560	315	12	105	1500 / 2000-6000
CU1000	1090	690	1250	155	700	1000	24	125	1500 / 2000-6000
CU1250	1320	940	1500	155	700	1000	24	125	1500 / 2000-6000

Conventional lathe with variable RPM

	Diameter over bed	Diameter over support	Diameter in sack	Spindle bore	Bedwidth	Maximum RPM	Number of gears	Diameter pinole	Distance between centers
CU325RD	325	190	440	32	200	2200	2	40	500 / 750 / 1000
C400TS	400	235	550	52	320	2120	4	50	750 / 1000 / 1500
CU400MRD	440	240	640	72	400	2000	3	90	1000 / 1500 / 2000-5000
CU500MRD	500	300	700	72	400	2000	3	90	1000 / 1500 / 2000-5000
CU500MTRD	500	300	700	103	400	1400	3	90	1000 / 1500 / 2000-5000
CU580MRD	580	380	780	72	400	2000	3	90	1000 / 1500 / 2000-5000
C11MTS	600	400	800	80	400	2000	3	90	1000 / 1500 / 2000-5000
CU630RD	630	430	830	103	400	1250	3	90	1000 / 1500 / 2000-5000
C10TS	660	420	850	103	560	1320	3	105	1000 / 1500 / 2000-5000
CU730RD	730	500	930	103	400	1250	3	90	1000 / 1500 / 2000-5000
C10TMS	760	520	950	132	560	1015	3	105	1000 / 1500 / 2000-5000
C10THS	860	620	1050	132	560	1015	3	105	1000 / 1500 / 2000-5000
CU800RD	890	490	1050	155	700	1000	4	125	1500 / 3000-10000
CU1000RD	1090	690	1250	155	700	1000	4	125	1500 / 3000-10000
CU1250RD	1320	940	1500	155	700	1000	4	125	1500 / 3000-10000
CU1410RD	1410	1000	x	205	800	500	4	200	2000 -9000

Service

Machines, control and maintenance. STYLE is a machine manufacturer from development to final product. With the STYLE manufacturer service on ZMM machines you benefit of experienced engineers, an actual component stock and extensive training and helpdesk support on your machine.

By our subsidiaries and dealernetwork you receive support in your own language, certified technical support and custom training when required.

Subsidiaries

STYLE CNC Machines NL	Bunschoten	Holland
Dimatech	Varsseveld	Holland
ZMM Bulgaria	Sliven	Bulgaria
STYLE CNC Machines BE	Waregem	Belgium
STYLE CNC Machines CZ	Stanovice	Czech Republic
STYLE CNC Machines PL	Katowice	Poland



STYLE lathe 350-1200 series
The best lathe for small series



STYLE mill BT 600-3000
The best mill for small series

Correspondence

PO box 136
3750 GC Bunschoten
Holland

Showroom

STYLE CNC Machines
Nijverheidsweg 15
3751 LP Bunschoten
Nederland

Production

ZMM Bulgaria
37A Prof. Fridtjof Nansen
Sofia 1142
Bulgarije

T +31 (0)33 - 205 25 00
E info@stylecncmachines.com
I www.stylecncmachines.com